

SUMP KL 923 & KL 924

Features & Benefits

- Excellent Cleaning Performance
- Low Foaming
- Compatible with most coolants



PRODUCT DESCRIPTION:

SUMP KL 923 is a concentrated liquid cleaner designed for removal of dirt, oily residues and biofilms in coolant reservoirs and sumps. It is added to the existing coolant charge and circulated during normal production.

The product is added 24 hours before the sump is to be cleaned.

SUMP KL 924 is the maintenance cleaner that assists with keeping the systems clean and fresh, particularly when the system is shut down for extended periods.

TYPICAL CHARACTERISTICS:

FORM: Liquid
 FLASH POINT: N/A
 pH (5%): 11.0 – 12.0
 SPECIFIC GRAVITY: 1.06

RECOMMENDED CONCENTRATION

Both products are to be added at a dosage of 2 oz. per gallon.

SUMP SIZE (GAL)	OZ	GALLONS
50	100	0.75
100	200	1.5
200	400	3.0

A circulating time of 2 hours is generally sufficient for most coolant systems, although longer contact times may require for more difficult cleanouts.

PACKAGING:

Drums
Pails

HEALTH & SAFETY

All reasonable care has been taken to ensure that the information contained in this publication is accurate as the date of printing, however, such information might change due to changes in the formulation blend occurring subsequent to the date of printing. The MSDS must be consulted for appropriate information regarding storage, safe handling and storage.

